Rail Clip

Approved by China's Railway Ministry and certified by ISO9001-2008 and SGS authorities.

Developed into a biggest production base to for various types of rail clips.

Monthly production capacity up to 5,000,000 pieces, so with shorter delivery time.

Designed with high precision by imparting strong tensile strength and corrosion resistance.

Strict dimensional control and the use of high quality spring steel but best price for each buyer.

Various kinds of rail clips of E-type(E1609, E1809, E1817, E2007, E2009, E2055, etc), SKL tension clamps (SKL1, SKL3, SKL12, SKL14, SKL75, etc), PR series, Nabla clips, gauge lock clip, Deenik clip as well as other standard and non-standard clips (e.g. Vossloh) can be customized by drawings or samples.



E1809



E1813



E2001



E2039



E2055



PR85



PR309A



PR401



PR601A



Rail Clip used in American Markets22



Russia RAIL CLIP



Single Anti-theft



SKL3



SKL12



SKL14



Special Rail Clip



Steel Rail Clip Used in City Light Rail



Deenik Clip

Production Process to Rail Clips

Raw Material



Shearing



Heating



Forming



Quenching



Tempering



Inspection



Surface Treatment



Packing



Rail Clip

Main Rail Clip Products

Model	Diameter	Weight	Material
Type III	ø18	0.80kg/pc	60Si2MnA
E1609	ø16	0.43 kg/pc	60Si2MnA
E1809	Ø 20	0.61kg/pc	60Si2MnA
E1813	Ø18	0.62kg/pc	60Si2MnA
E2001	Ø20	0.80kg/pc	60Si2MnA
E2007	Ø20	0.80kg/pc	60Si2MnA
E2009	Ø20	0.80kg/pc	60Si2MnA
E2039	Ø20	0.80kg/pc	60Si2MnA
E2055	Ø20	0.80kg/pc	60Si2MnA
E2056	Ø20	0.80kg/pc	60Si2MnA
E2063	Ø20	0.80kg/pc	60Si2MnA
PR85 RAIL CLIP	Ø13	0.25kg/pc	60Si2MnA
PR309A	Ø19	0.85kg/pc	60Si2MnA
PR401	Ø20	0.97kg/pc	60Si2MnA
PR415	Ø20	0.95kg/pc	60Si2MnA
PR601A	Ø 20	1.03kg/pc	38Si7
SKL 1	Ø13	0.48kg/pc	60Si2CrA
SKL 3	Ø13	0.48kg/pc	60Si2CrA
SKL 12	Ø13	0.53kg/pc	38Si7
SKL 14	Ø13	0.53kg/pc	60Si2MnA
Special Rail Clip	Ø13	0.48kg/pc	60Si2MnA
Russia Rail Clip	Ø18	0.58kg/pc	60Si2MnA
Deenik Clip	Ø25	0.49-0.68kg/pc	60Si2MnA
Single Anti-theft	Ø20	0.25kg/pc	60Si2MnA